




ESZ hot rolled sheet pile range

available from inventory or mill direct – info@meever.us



Section description	Section Modules	Moment of Inertia	Width	Height	Thickness		Weight single	Weight	Coating single 2 sides	Coating wall area
	in ³ /ft cm ³ /m				flange	web				
ESZ 17 - 630	31.1	229.2	24.80	14.72	0.335	0.335	46.9	22.7	5.43	1.32
	224	31,300	630	374	8.5	8.5	69.8	110.8	1.66	1.32
ESZ 18 - 630	33.6	247.9	24.80	14.76	0.375	0.375	51.1	24.7	5.43	1.32
	1,805	33,850	630	375	9.5	9.5	76.0	120.7	1.66	1.32
ESZ 19 - 630	36.1	266.6	24.80	14.76	0.413	0.413	55.2	26.7	5.43	1.32
	1,940	36,410	630	375	10.5	10.5	82.2	130.5	1.66	1.32
ESZ 17 - 700	32.3	266.3	27.56	16.54	0.335	0.335	49.7	21.7	6.02	1.31
	1,735	36,360	700	420	8.5	8.5	74.0	105.7	1.84	1.31
ESZ 18 - 700	33.6	277.5	27.56	16.54	0.354	0.354	52.0	22.7	6.02	1.31
	1,805	37,890	700	420	9.0	9.0	77.4	110.6	1.84	1.31
ESZ 19 - 700	34.9	288.7	27.56	16.57	0.375	0.375	54.3	23.6	6.02	1.31
	1,875	39,420	700	421	9.5	9.5	80.8	115.4	1.84	1.31
ESZ 19 - 10/10	36.1	299.2	27.56	16.57	0.394	0.394	56.5	24.6	6.02	1.31
	1,940	40,860	700	421	10.0	10.0	84.1	120.2	1.84	1.31
ESZ 20 - 700	37.4	310.3	27.56	16.61	0.413	0.413	58.8	25.6	6.02	1.31
	2,010	42,380	700	422	10.5	10.5	87.5	125	1.84	1.31
ESZ 24 - 700	45.3	409.1	27.56	18.07	0.472	0.354	60.1	26.2	6.61	1.44
	2,435	55,870	700	459	12.0	9.0	89.5	127.9	2.02	1.44
ESZ 26 - 700	48.4	438.0	27.56	18.11	0.512	0.394	65.0	28.3	6.61	1.44
	2,600	59,810	700	460	13.0	10.0	96.7	138.1	2.02	1.44
ESZ 28 - 700	51.4	466.8	27.56	18.15	0.551	0.433	69.8	30.4	6.61	1.44
	2,765	63,750	700	461	14.0	11.0	103.9	148.4	2.02	1.44

EN10248 1&2 in ASTM A572 GR 50, 60, 65
for estimating purposes only, all right reserved.